8th Australian Lung Cancer Conference

in lung cancer

Melbourne Convention and Exhibition Centre

19 - 21 February 2020



In collaboration with:

A time of hope







Methods

8th Australian **Lung Cancer Conference**

Melbourne Convention and Exhibition Centre 19 - 21 February 2020

Starting point: Retrospective analyses of <u>all</u> incident Qld NSCLC patients 2011-2016

Selected patients treated with IV systemic therapy

Any death recorded within 30 days of <u>last</u> IV systemic therapy treatment





Lung

In collaboration with:





N = 4.690(42% of **NSCLC** patients)

N = 1,076(23% of patients treated with IV systemic therapy)

A time of *hope* in lung cancer



Patient characteristics

More males diagnosed

 Similar treatment rates across socio-economic status

 Slightly lower treatment rates among outer regional & remote patients

- 46% diagnosed at stage IV
- Systemic therapy rates highest in stage III and II

| | NSCLC | | Had IVST | | |
|---------------------------|-------|------------------------------|----------|------------|---|
| | Count | % of all patients with NSCLC | Count | % of NSCLC | ı |
| Queensland | 10961 | | 4690 | 43% | |
| Sex | | | | | I |
| Male | 6591 | 60% | 2832 | 43% | |
| Female | 4370 | 40% | 1858 | 43% | |
| Age group | | | | | Ī |
| <50 | 381 | 3% | 250 | 66% | |
| 50-59 | 1518 | 14% | 912 | 60% | |
| 60-69 | 3397 | 31% | 1835 | 54% | |
| 70-79 | 3607 | 33% | 1449 | 40% | |
| 80+ | 2058 | 19% | 244 | 12% | |
| Socioeconomic status | | | | | 7 |
| Affluent | 1136 | 10% | 509 | 45% | 7 |
| Middle | 7003 | 64% | 3060 | 44% | |
| Disadvantaged | 2822 | 26% | 1121 | 40% | |
| Facility type | | | | | T |
| Public | | | 3025 | | |
| Private | | | 1665 | | |
| Comorbidity group | | | | | |
| 0 | 5054 | 46% | 2536 | 50% | |
| 1 | 3309 | 30% | 1306 | 39% | |
| 2+ | 2598 | 24% | 848 | 33% | |
| Residence at diagnosis | | | | | |
| Major city | 6798 | 62% | 2985 | 44% | |
| Inner regional | 2640 | 24% | 1150 | 44% | |
| Outer regional and remote | 1523 | 14% | 555 | 36% | |
| indigenous status | | | | | + |
| Indigenous | 338 | 3% | 136 | 40% | |
| Non-Indigenous | 10619 | 97% | 4554 | 43% | |
| Not Stated/Unknown | 4 | 0% | 0 | 0% | |
| Stage group at diagnosis | | | | | |
| I | 1845 | 17% | 455 | 25% | |
| II | 822 | 7% | 478 | 58% | |
| III | 1499 | 14% | 996 | 66% | |
| IV | 5093 | 46% | 2262 | 44% | |
| Not Known | 1702 | 16% | 499 | 29% | |

8th Australian Lung Cancer Conference

Melbourne Convention and Exhibition Centre 19 - 21 February 2020

> 43% of patients received IV systemic therapy



In collaboration with:





This is a brief extract from the presentation. If you would like more information, please contact us



CancerAllianceQld@health.qld.gov.au

